



Burndy® Hand Operated Crimping Tool

- Hickory Handles
- D₃ Groove accommodates "W-" die inserts
- Installs full range of connectors: #14 through 4/0

1A MD6 with "BG" and D₃ Grooves \$269.90

1B MD6-8 with "O" and D₃ Grooves \$269.90



Burndy® Hand Operated Crimping Tool

- Composite polymer handle that requires no adjustment for the life of the tool
- D₃ Groove accommodates "W-" die inserts
- Installs full range of connectors: #14 through 4/0

1F MD7 with "BG" and D₃ Grooves \$269.90

1C MD7-8 with "O" and D₃ Grooves \$269.90



14V Burndy® Patriot® In-Line® 6 ton Battery Actuated Tool

- can be operated with one hand allowing for advance, retract, and hold functions for easier operation
- uses "W" style dies in the permanent D₃ groove
- supplied with carrying case, 120V battery charger, 2 batteries and die compartment
- high capacity 2.6 AH batteries provide more crimps per charge

1Q PATMD6-14V with "BG" and D₃ Grooves- CALL FOR PRICE

1R PATMD6-8-14V with "O" and D₃ Grooves- CALL FOR PRICE



Burndy® Y35 Hand Operated Hydraulic Tool

12 Ton Crimp Force

- Uses Burndy "U" style Dies
- Incorporates a C-shaped, 180° rotatable head for overhead line work and compression grounding applications

CALL FOR PRICE



Burndy® Y750HSXT Hand Operated

Hydraulic Tool- 12 Ton Crimp Force

- Accepts all Burndy "U" dies for use on conductor ranges of #14-750kcmil AL/CU and #4-556.5 kcmil ACSR
- C-shaped head rotates 355°
- 1.65" wide mouth

CALL FOR PRICE



Burndy® PAT600-18V

6-Ton Battery Actuated Crimping Tool

- permanent "D₃" groove accepts all "W" dies
- Completes a crimp in approximately 3 seconds
- 180° Head Rotation
- Comes equipped with carrying case, battery charger and two batteries

PLEASE CALL FOR PRICING



Burndy® PAT750XT-18V

12-Ton Battery Actuated Crimping Tool

- Capable of using all "U" style dies
- High speed hydraulic pump
- 360° Head Rotation
- Comes equipped with carrying case, battery charger and two batteries

PLEASE CALL FOR PRICING




Burndy® PAT46-18V

15-Ton Battery Actuated Crimping Tool

- Capable of using all "P" style dies and capable of using "U" style dies when "U" die adapter is being used ("U" adapter sold separately)
- High speed hydraulic pump
- 355° Head Rotation with 2" Jaw Opening
- Comes equipped with carrying case, battery charger and two batteries

PLEASE CALL FOR PRICING



Below you will find the Burndy® W, U, and P Dies that we stock. If there is another Burndy die that you need please contact us for pricing and availability.



79T

BURNDY® W-28K CUTTING DIE

- #4-4/0 ACSR, AL, CU

\$59.90



79V

BURNDY® W-DIE TREE

For Convenient Storage of W Style Dies
\$32.90



BURNDY® DIE CASE

98E

W- Die Case- fits 12 dies \$39.90

98N

U-Die Case- fits 15 dies \$69.90

BURNDY® W-DIES

Aluminum

W-BG	\$42.90	W-166	\$42.90
W-0	\$42.90	W-237	\$42.90
W-KK	\$42.90	W-239	\$42.90
W-C	\$42.90	W-241	\$42.90
W-K840	\$42.90	W-243	\$42.90
W-161	\$42.90	W-245	\$42.90
W-162	\$42.90	W-247	\$42.90
W-163	\$42.90	W-249	\$42.90
W-164	\$42.90	W-31ART	\$42.90
W-165	\$42.90	W-660	\$42.90

Copper

W-4CRT	\$42.90	W-27RT	\$42.90
W-2CRT	\$42.90	W-28RT	\$42.90
W-1CRT1	\$42.90	W-29RT	\$42.90
W-25RT	\$42.90	W-31RT	\$42.90
W-26RT	\$42.90	W-34RT	\$42.90

BURNDY® U-DIES

Aluminum

U-2CABT	\$74.90	U-28ART	\$74.90
U-1CART	\$74.90	U-29ART	\$74.90
U-25ART	\$74.90	U-31ART	\$74.90
U-26ART	\$74.90	U-34ART	\$74.90
U-27ART	\$74.90	U-39ART2	\$74.90

Copper

U-2CRT	\$74.90	U-28RT	\$74.90
U-1CRT	\$74.90	U-29RT	\$74.90
U-25RT	\$74.90	U-31RT	\$74.90
U-26RT	\$74.90	U-34RT	\$74.90
U-27RT	\$74.90	U-39RT	\$74.90

BURNDY® P-DIES

Aluminum

P-39ART	\$129.90	P-44ART	\$129.90
---------	----------	---------	----------

Copper

P-44RT	\$129.90	P-45RT	\$129.90
--------	----------	--------	----------



**Burndy® PATCUT245CUAL-18V
Battery Actuated Cutter**

- Compact, fast, and easy to use
- 180° Head Rotation
- Latch style head for mid-span cuts
- For up to 2.45" O.D. AL/CU
- Comes with case, charger and 2 batteries
- NOT FOR USE ON STEEL, GROUND ROD, REBAR, OR GUY WIRE

PLEASE CALL FOR PRICING



**Burndy® PATCUT129ACSR-18V
Battery Actuated Cutter**

- Compact, fast, and easy to use
- 180° Head Rotation
- Capable of cutting 1.29" AL/CU, 1113 ACSR, 5/8" Ground Rod, 1/2" Rebar, 5/8" diameter soft steel bolts, up to 1/2" standard guy strand and up to 3/8" EHS guy strand
- Comes with case, charger and 2 batteries

PLEASE CALL FOR PRICING



**Burndy® BCC1000CUAL
Battery Actuated Cable Cutter**

- 12V cable cutter capable of cutting up to 750 kcmil hard drawn copper and 1000 kcmil soft drawn copper and up to 2" O.D. aluminum cable
- Comes with charger and carrying case
- NOT FOR STEEL OR ACSR

PLEASE CALL FOR PRICING



**Burndy® HIW716ENF
Enforcer Hydraulic Impact Wrench
with Variable Torque**

- Lightest and most powerful 7/16" impact in its class
- Dual torque selector spool allows users to switch between 200 and 515 ft lb torque settings
- Weight 5.95 lbs.
- CHUCK TYPE: 7/16" QUICK CHANGE; OPTIMAL PRESSURE: 750-2000 PSI; FLOW RANGE: 4-12 GPM; OPERATION: OPEN/ CLOSED OPTION; TORQUE 515 FT-LBS

PLEASE CALL FOR PRICING



Burndy® 2" Submersible Pump

- Totally submersible
- Pump Capacity: 340 GPM
- FLOW 4-9 GPM; PRESSURE 1000-2000 PSI; OPERATION: OPEN/CLOSED CENTER; WEIGHT 13 LBS; MAX LIFT: 80 GPM @ 70FT

PLEASE CALL FOR PRICING



**2" Hose for Burndy®
HP2HV Pump
\$48.90**



**Burndy® HPS-O/C-5-B13
Hydraulic Pole Chain Saw**

- 88" Overall Length, 15 1/2" Bar Length, 60" Handle, 13" Cutting Capacity, 9 1/2 lbs
- FLOW 5-8 GPM; PRESSURE 1000-2000 PSI; OPERATION: OPEN/CLOSED CENTER

PLEASE CALL FOR PRICING



1Z

Burndy® Y10AC9

Electric Hydraulic "Peanut" Pump

- For use with all HYPRESS™ heads and cutters requiring 10,000 PSI operating pressure
 - Lightweight and easy to lift
 - Factory set pressure relief valve and audible recycling of pump to signal completion of crimp cycle
 - 115V AC electric powered motor
- PLEASE CALL FOR PRICING



1M

Burndy® Y750BHXT 12 Ton Hypress™ Remote Power Operated Hydraulic Tool

- #14-750 kcmil AL/CU
- #4-556.5 kcmil ACSR
- Wide mouth (1.65") C-shaped head
- Rotatable Head
- Uses all standard U-dies
- Operating Pressure: 10,000 PSI

PLEASE CALL FOR PRICING



1P

Burndy® Y46 15 Ton Hypress™ Remote Power Operated Hydraulic Tool

- Large 2" Jaw Opening
- "C" shaped head
- Uses "P" style dies and "U" dies if equipped with "U" die adapter (SOLD SEPARATELY)

PLEASE CALL FOR PRICING



99W

Burndy® PUADP-1 "U" Die Adapter

- Allows use of "U" dies in tools equipped with "P" die slot
- PLEASE CALL FOR PRICING



Burndy® 10,000 psi Non-Conductive Hose with Stackable Couplers

99M PT29901-10 10' x 1/4" \$374.90

99P PT29901-15 15' x 1/4" \$399.90

99Q PT29901-25 25' x 1/4" \$499.90



98J 120V AC Charger for 12V Battery
used with BCC1000CUAL
PLEASE CALL FOR PRICING

98B 120V AC Charger for 14V and
18V Batteries
PLEASE CALL FOR PRICING

98C 12V DC Charger for 14V and
18V Batteries
PLEASE CALL FOR PRICING



99U

3/8, 3/8 NPT Flush Face
Coupler Set- Body & Nose
\$76.90



Batteries for Burndy® Battery Operated Tools

98K 12V Battery used with
BCC1000CUAL
PLEASE CALL FOR PRICING

98L 14V Battery used with
Patriot® In-Line®
PLEASE CALL FOR PRICING

98A 18V Battery used with
all Burndy 18V Tools
PLEASE CALL FOR PRICING

IMPACT WRENCHES



79A

H8508-1

Fairmont® High Torque 1/2" Impact Wrench with 7/16" Hex Quick Change Chuck

- Super Spool™ for use on Open- and Closed- Center hydraulic systems
- Reversible operation
- Comes with Heavy Duty 7/16" hex by 1/2" square drive shank

\$799.90



79B

H8508-1V

Fairmont® High Torque 1/2" Impact Wrench with 7/16" Hex Quick Change Chuck with FLOW CONTROL

- Flow control allows user to adjust the speed
- Super Spool™ for use on Open- and Closed- Center hydraulic systems
- 400 ft.-lb @ 8 gpm Maximum Torque
- Reversible operation

\$939.90



Nut Runner Socket Wrench

For use with Impact Wrench for installing and tightening pole hardware.
Hollow so that bolts that extend up to 6" beyond nut can be accommodated.

COMES IN 2 MODELS

25X NR1- Fits 5/8", 3/4", 13/16", 1" Nut Sizes for 3/8", 1/2", 5/8" Bolt Diameters
\$144.90

25Y NR2- Fits 1 1/8", 1 5/16", 1 1/2" Nut Sizes for 3/4", 7/8", 1" Bolt Diameters
\$169.90

79C Replacement Adapter for NR1 \$49.90 **79D** Replacement Adapter for NR2 \$68.90



79L

Extra Deep Lineman Sockets for Pole Hardware Installation and Removal 1/2" Drive, 5" Overall Length, 8 Point

- 79F** 3/4" Socket \$18.90
- 79G** 13/16" Socket \$19.90
- 79H** 1" Socket \$21.90
- 95R** 1 1/16" Socket \$22.90
- 79J** 1 1/8" Socket \$23.90
- 79L** 1/2" Male Square x 7/16" Hex Shank \$8.90



79Z

Tanaka Gas Powered Drill with Reverse

- 27cc, 1.4 h.p. PureFire two-stroke engine
- powered reversing feature
- optional chuck shown allows drill to become 7/16" quick change

\$529.00

NEW



55P

Threaded Quick Change Chuck

- chuck allows for use of 7/16" quick change bits and adapters
- \$56.90

28C



18"



28T



Available in 18" or 24"

28C 18" QUICK CHANGE UTILITY POLE IMPACT WRENCH AUGER BITS

28C

7/16 HEX SIZE

DIAMETER	18" Length	Price
9/16"	02806	\$18.90
11/16"	02808	\$20.90
13/16"	02810	\$22.90
15/16"	02812	\$24.90
1 1/16"	02814	\$28.90

28T 18" TEFLON DEEP CUT QUICK CHANGE UTILITY POLE IMPACT WRENCH AUGER BITS

28T

7/16 HEX SIZE

DIAMETER	18" Length	Price
9/16"	08806	\$24.90
11/16"	08808	\$26.90
13/16"	08810	\$28.90
15/16"	08812	\$30.90
1 1/16"	08814	\$36.90

28W 24" TEFLON DEEP CUT QUICK CHANGE UTILITY POLE IMPACT WRENCH AUGER BITS

28W

7/16 HEX SIZE

DIAMETER	24" Length	Price
9/16"	01006	\$29.90
11/16"	01008	\$33.90
13/16"	01010	\$36.90
15/16"	01012	\$41.90
1 1/16"	01014	\$51.90

IRWIN BITS

28A



18"

28A UTILITY POLE AUGER BITS

DIAMETER	18" length	Price
9/16"	46609	\$27.90
11/16"	46611	\$29.90
13/16"	46613	\$32.90

When Ordering Pole Auger Bits for 1/2", 5/8", 3/4", 7/8" or 1" hardware increase size by 1/16".
(i.e. 1/2"=9/16", 5/8=11/16, 3/4"=13/16", 7/8"=15/16" 1"=1 1/16")



55S

Drill Chuck

Converts your 1/2" Square Drive Drill into 7/16" Quick Change Hex
\$49.90



28X

Ratchet Bit Brace
\$94.90

CRIMPING TOOLS



NEW GREENLEE® UTILITY DOUBLE DIE HEAD BATTERY CRIMPING TOOL EK425L

- 18V Lithium-Ion Battery; Up to 325 crimps per charge; 4 second cycle time
- 6-Ton Crimping Force
- Can be used with all industry "W" style crimping dies
- Intellicrimp Crimp Force Monitoring- beeps if tool not producing proper force
- LED work light illuminates dark work areas
- Rotates 350° to fit in tight places
- Two batteries, battery charger, and convenient bucket pouch included

AVAILABLE MODELS (CALL FOR CURRENT PRICING)

79MM CJD3O Jaws- D₃ and O Die grooves w/ 120 volt Battery Charger EK425LD011

79PP CJD3O Jaws- D₃ and O Die grooves w/ 12 volt Battery Charger EK425LD012

79QQ CJD3BG Jaws- D₃ and BG Die grooves w/ 120 volt Battery Charger EK425LDBG11

79RR CJD3BG Jaws- D₃ and BG Die grooves w/ 12 volt Battery Charger EK425LDBG12

99AA Replacement 18V Battery 52176 \$139.90

99XX 12V Charger **CALL FOR PRICE**

95UU 120V Charger **CALL FOR PRICE**



CJB CUTTER JAWS FOR EK425

Cuts the hasps of one-time disposable locks. Can also be used to cut ACSR up to 1/0 AWG.

\$309.90



Greenlee® Manual Crimping Tool

- Easy-to-use MD-6 type "pop tool"
- Designed to crimp a wide range of overhead service entrance connections, overhead splices, and overhead taps
- Equipped with D₃ Die groove for "W" type dies and choose of "BG" or "O" die groove

91A

D₃ and "O" Die Grooves \$269.90

91B

D₃ and "BG" Die Grooves \$269.90



FAIRMONT 12-TON CRIMPING TOOL

- 1.65" Jaw
- Crimps up to 750MCM Copper and Aluminum

Specifications:

Flow Rate- 3-9 gpm
Pressure Port- 3/4- 16 SAE O-Ring
Return Port- 3/4- 16 SAE O-Ring

CALL FOR PRICING

**BURNDY® DIES
ON PAGE 52**



HYDRAULIC POLE TAMPER- HOSE END VALVE

- Makes quick work of setting poles
- Reversible on/off valve for Open- and Closed-Center hydraulic systems
- Standard with kidney-shaped foot

44F

Specifications:

System- Open- and Closed Center

Valve Location- End of hose

Length- 60"

Flow Range- 4-6 gpm

Operating Pressure- 1,000-2,000 psi

Pressure Port Thread- 9/16- 18 SAE O-Ring

Return Port Thread- 3/4- 16 SAE O-Ring

Couplers on page 59

CALL FOR PRICING

H4802

HYDRAULIC POLE TAMPER- VALVE ON TUBE

- Makes quick work of setting poles
- Rotate trigger spool for Open- and Closed-Center hydraulic systems
- Standard with kidney-shaped foot

44G

Specifications:

System- Open- and Closed Center

Valve Location- End of Tamper

Length- 72"

Flow Range- 4-6 gpm

Operating Pressure- 1,000-2,000 psi

Pressure Port Thread- 9/16- 18 SAE O-Ring

Return Port Thread- 3/4- 16 SAE O-Ring

Couplers on page 59

CALL FOR PRICING

H4802-3



44J

H4910A

HYDRAULIC POLE PULLER

- Heavy Duty Construction
- Works in confined areas, next to buildings, or out in the open
- Proof-certified 6' alloy chains
- Open- and Closed- Center hydraulic systems

Specifications:

Lift Capacity- 56,000 lb. at 2,000psi

Height- 32" Retracted; **Width-** 15" width base

Flow Range- 4-15 gpm; **Operating Pressure-** 300-2,800 psi

Pressure Port Thread- 1/2" NPTF; **Return Port Thread** 1/2" NPTF

Couplers on Page 59

CALL FOR PRICING



H4635

44K

HYDRAULIC 3" SUBMERSIBLE TRASH PUMP

- Lighter than typical 3" trash pumps
- All aluminum body is lightweight and durable
- Compact, under 12" diameter to easily fit into small diameters
- Open- and Closed- Center operation

Specifications:

Hydraulic Pressure Port- 1/2" Male NPT

Hydraulic Return Port- 1/2" Male NPT

Weight- 28lbs. **Width-** 11.87" **Height-** 14.18"

Trash Diameter 3"; **Pump Inlet Port** 3.125"; **Pump Discharge Port** 3"

Recommended Flow 8-10 gpm

Couplers and Discharge Hose Assembly on Page 59

CALL FOR PRICING

HYDRAULIC ACCESSORIES



FAIRMONT® RUBBER LOW PRESSURE HOSE SET

- Certified nonconductive orange rubber
- Double rayon braid
- Working pressure 2,250 psi tested to 75 kV/ft. for 5 minutes



80H

FAIRMONT® SUBMERSIBLE TRASH PUMP 3" x 25' DISCHARGE HOSE ASSEMBLY \$194.90

80B 3/8" x 8' I.D. Hoses with 3/8" NPTF male fittings 40887 \$119.90

80C 3/8" x 10' I.D. Hoses with 3/8" NPTF male fittings 40888 \$149.90

80F 3/8" x 8' I.D. Hoses with 3/8" NPTF male fitting on one hose and 1/2" male NPTF fitting on the other hose 41185 \$129.90


80G 3/8" x 10' I.D. Hoses with 3/8" NPTF male fitting on one hose and 1/2" male NPTF fitting on the other hose 41186 \$159.90

HTMA COUPLERS: 3,000 psi maximum operating pressure



80J

HTMA Male Coupler
3/8" NPTF
internal thread
\$19.90



80K

HTMA Male Coupler
1/2" NPTF
internal thread
\$19.90



80L

HTMA Female Coupler
3/8" NPTF
internal thread
\$36.90



80M

HTMA Female Coupler
1/2" NPTF
internal thread
\$39.90



80P

HTMA Female Coupler
3/4-16 SAE
O-ring external thread
\$55.90



80Q

HTMA Female Coupler
9/16-18 SAE
O-ring external thread
\$57.90



80R

HTMA Male Coupler
3/4-16 SAE
O-ring external thread
\$24.90



80S

HTMA Male Coupler
9/16-18 SAE
O-ring external thread
\$23.90

Swivel Adapters



80V

Adapter 3/8" NPSM x
9/16-18 Straight Thread
\$8.90



80X

Adapter 3/8" NPSM x
3/4-16 Straight Thread
\$8.90



80Y

Adapter 1/2" NPSM x
3/4-16 Straight Thread
\$8.90



- Helps reduce injuries
- Keeps the work site clean
- Transport fill without a hassle
- Keep tools and personnel out of mud and snow
- Ergonomically correct tool that solves difficult situations

4 Sizes to Choose From:

88K 6' x 6' (700# lift capacity) \$169.90

88L 7' x 7' (1100# lift capacity) \$269.90

88P 8' x 8' (1400# lift capacity) \$379.90

88Q 10' x 10' (1600# lift capacity) \$479.90



"Rite in the Rain" is a truly amazing patented paper created specifically for writing field notes in all weather conditions. From the torrential downpours in the Pacific Northwest to the blistering heat and humidity of a Florida summer day, "Rite in the Rain" sheds water, so you can continue to write on it, even in a downpour.



**ALL-WEATHER
POCKET NOTEBOOK**
- 100 pages (50 Sheets)

88D 3" x 5" \$42.90(12 Pack)

88E 4" x 6" \$52.90 (12 Pack)



**88F ALL-WEATHER
JOB HAZARD ANALYSIS
NOTEBOOK**

- Helps protect your company from liability and your crew from hazards by establishing an easy Job Hazard Analysis procedure.
4" x 6" \$52.90(12 Pack)



**88H ALL-WEATHER
JOB BRIEFING NOTEBOOK**

- Create and accountability record of Job Briefings. Includes 8 step process plus room for notes and signatures.
4" x 6" \$52.90(12 Pack)

88J



**ALL-WEATHER
BLACK CLICKER PEN**
- While a pencil works great on the all-weather notebooks, sometimes you just need a pen. Writes on wet paper and upside down.
\$9.90 ea

ELECTRICAL TEST EQUIPMENT

32A



50102-G-01



STB 72kV VOLTAGE SENSOR

- Used to detect the presence of voltage or capacitance on overhead or underground cabling or on switchgear and MCC panels
- Low Sensitivity and a high capability range
- Shielded tester reads only the contacted test point; no stray fields will be indicated
- Includes carrying case, probe tip, and universal connector

\$999.00

32B



50101-G-02



STB 0-25kV PHASING VOLTMETER

- Meters can be used for voltage detection and phasing at capacitance test points, or for voltage detection and phasing on bare energized conductors (overhead and underground)
- Has a coiled cable that extends 25 feet
- Includes carrying case, probe tip, and shepherd's hook

\$1399.00

32C



50107-G-01



STB AC CLAMP-ON AMMETER/ GROUND FAULT MODEL

- 1/2/5/10/20/50 Amps
- Ideal for preventative maintenance
- Will indicate ground faults and electrical leakage while the equipment is in operation
- Measures leakage current directly and located faults
- Convenient one-hand operation
- Choice of Jaw Opening (3 1/2", 4 1/2", 6", or 9")

\$799.00

51W



PHASE ROTATION TESTER

- self powered via the measurement inputs
- operating voltage: 40 to 850VAC between phases
- 600V CAT III
- Comes with carrying case and leads

\$69.00



51S



NON-CONTACT HIGH VOLTAGE DETECTOR

- Universal Spline
- 8 switch-selectable voltage sensitivity ranges
- Once range threshold is reached, the buzzer sounds and a bright red warning light warns the operator of live conductors
- Self Test Position
- Finds 80V to 275kV

\$359.00

STB PHASE ROTATION METER

110/220/440/ 550 VOLT
\$279.90

32F



50109-D-01

SALISBURY SELF TESTING VOLTAGE DETECTOR KIT

Used to Verify live or de-energized conductors. May be used with insulating rubber gloves or hot stocks using splined universal end fitting. Comes with tester, shotgun adapter, batteries, and case.

2 MODELS AVAILABLE

81F 240V to 230kV ⁴⁵⁵⁶ \$569.90

81G 240V to 69kV w/ URD
Test Point Setting 15, 25, 35kV ⁴⁷⁶⁹ \$579.90



ELECTRICAL TEST EQUIPMENT



GREENLEE® 1000A AC CLAMP METER
AC amperage, AC/DC Voltage, frequency and resistance measuring capability. Batteries, test leads, and carrying case included. Jaw Opening 1.85" CAT IV, 600V CAT III, 750V AC/1000V DC
\$184.90

CM-1300



GREENLEE® 1000A AC/DC CLAMP METER
AC/DC amperage, AC/DC Voltage, frequency and resistance measuring capability. Battery, test leads, and carrying case included. Jaw Opening 2" CAT IV, 600V CAT III, 750V AC/1000V DC
\$204.90

CM-1500



GREENLEE® AVERAGING DIGITAL MULTIMETER
Use to measure voltage, resistance, current and continuity. AC/DC voltage, AC/DC amperage measurement. Non-contact voltage detection for identifying live lines without contacting conductors.
\$84.90

DM-310



Klein CL100 Clamp Meter
- 600A AC Current
- 600V AC and DC Voltage
- 20MΩ Resistance
- Continuity
- CAT III 600V Rating
- Jaw Size 1"
- Includes test leads, batteries, and case
\$49.90



Klein CL1000 Clamp Meter
- 400A AC Current
- 750V AC Voltage and 1000V DC Voltage
- 40MΩ Resistance
- Continuity
- Jaw Size 1.25"
- Non Contact Voltage
- CAT III 600V Rating
- Includes test leads, batteries, and case
\$89.90



Klein CL2000 Clamp Meter
- 400A AC/DC Current TRMS Clamp Meter
- 750V AC Voltage and 1000V DC Voltage
- 40MΩ Resistance
- Continuity
- Jaw Size 1.25"
- Non Contact Voltage
- CAT III 600V Rating
- Includes test leads, batteries, and case
\$136.90



Klein CL3100 Hook Meter
- 200A AC Current
- 750 AC Voltage and 1000V DC Voltage
- 40MΩ Resistance
- Continuity
- CAT IV 600V Rating
- Includes test leads, batteries, and case
\$107.90



Klein MM1000 Multimeter
- 10A AC/DC Current
- 1000V AC and 1000V DC Voltage
- 40MΩ Resistance
- CAT IV 600V Rating
- Includes test leads, batteries, thermocouple
\$72.90



Klein ET100 Electronic Voltage Tester
- Measures AC and DC Voltage at 9 common levels up to 600V
- Bright LEDs indicate voltage reading without batteries installed
- Permanently secured test leads
- CAT IV 600V Rating
\$25.90



Klein Non-Contact Voltage Tester
Voltage Range- 50-1000 Volts AC
Frequency Range- 50-500 Hz
CAT Rating- CAT IV 1000V
- when voltage is detected, a high intensity, bright red LED illuminates and a warning tone sounds
\$13.90

NCVT-1



GREENLEE® FAST AND EASY NON-CONTACT VOLTAGE DETECTOR
Use to detect the presence of voltage at circuit breakers, wires and cables or to find a break in the wire
AC V 50-1000; CAT IV 1000V
\$14.90

GT-12